



Material Safety Data Sheet

SECTION 1	PRODUCT AND COMPANY IDENTIFICATION
------------------	---

Product Name: Lucas Synthetic SAE 10W-50 Motorcycle Oil

Product Description: Base Oil and Additives

Product Number: 10716, 10717, 10753, 10754, 10755

Intended Use: Engine Oil

COMPANY IDENTIFICATION

Supplier: Lucas Oil Products Inc.
302 North Sheridan St.
Corona, ca. 92880 USA

Phone #: 1 (800) 342-2512

SECTION 2	COMPOSITION / INFORMATION ON INGREDIENTS
------------------	---

No Reportable Hazardous Substance(s) or Complex Substance(s).

Name	CAS#	Concentration*
VHVI Paraffinic Oil	72623-86-0	10-20%
Distillate, Severely Hydrotreated Heavy Paraffinic	64742-54-7	40-50%

SECTION 3	HAZARDS IDENTIFICATION
------------------	-------------------------------

This material is not considered to be hazardous according to regulatory guidelines.

POTENTIAL HEALTH EFFECTS

Low order of toxicity. Excessive exposure may result in eye, skin, or respiratory irritation.

NFPA Hazard ID: Health: 1 Flammability: 1 Reactivity: 0

HMS Hazard ID: Health: 1 Flammability: 1 Reactivity: 0

SECTION 4	FIRST AID MEASURES
------------------	---------------------------

INHALATION

Remove exposed person to fresh air. If respiratory symptoms develop seek medical attention.

SKIN CONTACT

Wash skin with mild soap and water for 15 minutes while removing contaminated clothing.

EYE CONTACT

Flush thoroughly with water for at least 15 minutes. If irritation occurs, seek medical attention.

INGESTION

Do not induce vomiting. If conscious give milk or water and seek medical attention.

SECTION 5**FIRE FIGHTING MEASURES****EXTINGUISHING MEDIA**

Appropriate Extinguishing Media: Use dry chemical, carbon dioxide, halon, or foam to extinguish flames.

Inappropriate Extinguishing Media: Straight streams of water.

FLAMMABILITY PROPERTIES

Flash Point: >420°F

SECTION 6**ACCIDENTAL RELEASE MEASURES****SPILL MANAGEMENT**

Land Spill: Stop source of ignition. Prevent additional discharge of material, if possible to do so safely. Contain and/or clean up with sand or earth on land.

ENVIRONMENTAL PRECAUTIONS

Prevent entry into waterways, drains or sewers.

SECTION 7**HANDLING AND STORAGE****HANDLING**

Keep container tightly closed. Eating, drinking and smoking should be prohibited in areas where this material handled. Wash hands and face before eating

STORAGE

Store in a cool, well ventilated place, away from heat and/or incompatible materials.

SECTION 8**EXPOSURE CONTROLS / PERSONAL PROTECTION****ENGINEERING CONTROLS:**

No special requirements under ordinary conditions of use and with adequate ventilation.

PERSONAL PROTECTION

Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation. Information on the selection of protective equipment for use with this material, as provided below, is based upon intended, normal usage.

Respiratory Protection:

No special requirements under ordinary conditions of use and with adequate ventilation.

Hand Protection:

No protection is ordinarily required under normal conditions of use.

Eye Protection: If contact is likely, safety glasses with side shields are recommended.

Skin and Body Protection:

No skin protection is ordinarily required under normal conditions of use.

Ingredient**Exposure Limits**

Paraffinic Oil

ACGIH TLV (TWA: 5 mg/m³ 8 hours) – United States

Canada (Ingredient)

TWA: 5 mg/m³ 8 hours, STEL: 10 mg/m³ 8 hours

SECTION 9**PHYSICAL AND CHEMICAL PROPERTIES**

Typical physical and chemical properties are given below. Consult the Supplier in Section 1 for additional data.

GENERAL INFORMATION

Physical State: Liquid

Color: Light Brown

Odor: Characteristic petroleum

Density: 7.21 pounds/gallon

Flash Point: 435°F

Autoignition Temperature: N/D

Boiling Point: >500°F

pH: N/D

Solubility in Water: Negligible @ 25°C

Viscosity cSt at 100°C: Greater than or equal to: 18.0

SECTION 10**STABILITY AND REACTIVITY**

STABILITY: Material is stable under normal conditions.

CONDITIONS TO AVOID: Excessive heat.

MATERIALS TO AVOID: Strong oxidizers

HAZARDOUS DECOMPOSITION PRODUCTS: Material does not decompose at ambient temperatures.

SECTION 11**TOXICOLOGICAL INFORMATION****Acute Toxicity:**

Product/Ingredient Name	Result	Species	Dosage
-------------------------	--------	---------	--------

Paraffinic Oil	LD 50 Dermal	Rabbit	>5g/kg
	LD 50 Oral	Rat	>5 g/kg
	LD 50 Inhalation	Rat	> 5mg/Liter

Carcinogenicity, Mutagenicity, Teratogenicity and Reproductive Toxicity: No data

No known significant effects or critical hazards.

SECTION 12

ECOLOGICAL INFORMATION

Aquatic Ecotoxicity: None. Not readily biodegradable

SECTION 13

DISPOSAL CONSIDERATIONS

Disposal must be in accordance with current applicable regional, national and local laws and regulations.

SECTION 14

TRANSPORT INFORMATION

DOT: Not Regulated

TDG: Not Regulated

Mexico: Not Regulated

ADR/RID Class: Not Regulated

IMDG: Not Regulated

SECTION 15

REGULATORY INFORMATION

OSHA HAZARD COMMUNICATION STANDARD: When used for its intended purposes, this material is not classified as hazardous.

HCS Classification: Not Regulated

TSCA 8(a) PAIR: Not determined

TSCA 8(a) IUR Exempt/Partial exemption: Not determined

U.S. TSCA: All components listed

SARA 302/304/311/312/313: SARA 313 (Zinc Compounds)

Clean Water Act: (CWA) 307: Not Regulated

CERCLA RQ – 40 CFR 302.4: None

Name	CAS#	Concentration*
VHVI Paraffinic Oil	72623-86-0	10-20%
Distillate, Severely Hydrotreated Heavy Paraffinic	64742-54-7	40-50%

SECTION 16

OTHER INFORMATION

N/D

Original Date: 8-15-05 Updated: 12-5-11

We believe the statements, technical information, and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, express or implied, and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.